

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 4 1980
Returned to applicant for correction MAY 19 1980
Corrected application filed JUL 3 1980
Map filed JUL 3 1980 under 40813

The applicant Ely Municipal Water Company
c/o Chilton Engineering, of 421 Court Street, Elko,
Street and No. or P.O. Box No. City or Town
Nevada 89801
State and Zip Code No., hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Well No. 8
Name of stream, lake or other source.
2. The amount of water applied for is 6.0 cfs second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet. acre-feet
3. The water to be used for Municipal
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated)
 - (b) Stockwater (state number and kinds of animals to be watered)
 - (c) Other use (describe fully under "No. 12. Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 35
T16N R63E MDM or at a point from which the NW corner of said Section 35 bears
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
N 22°23'W, 2427 feet.
it should be stated.

6. Place of use SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$ and portions of E $\frac{1}{2}$ SE $\frac{1}{4}$ Section 10; portions of S $\frac{1}{2}$ SW $\frac{1}{4}$ Section 11;
Describe by legal subdivision, if on unsurveyed land it should be so stated.
S $\frac{1}{2}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$ and SW $\frac{1}{4}$ Section 13; S $\frac{1}{2}$, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, portion of NE $\frac{1}{4}$ NW $\frac{1}{4}$ and NE $\frac{1}{4}$ Sec-
tion 14; Section 15; Section 16; portion E $\frac{1}{2}$ SE $\frac{1}{4}$ Section 17; SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 20; Sec-
tion 21; Section 22; Section 23; W $\frac{1}{2}$ W $\frac{1}{2}$ Section 24; W $\frac{1}{2}$ Section 25; Section 26; Sec-
tion 27; N $\frac{1}{2}$ & SE $\frac{1}{4}$ Section 28; S $\frac{1}{2}$ NE $\frac{1}{4}$ & NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 29; E $\frac{1}{2}$ Section 33; Section 34;
N $\frac{1}{2}$ Section 35; W $\frac{1}{2}$, W $\frac{1}{2}$ SE $\frac{1}{4}$ & SW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 36. All above Sections are in T16N
R63E MDM

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled and cased well equipped with proper
seals, electric motor, pump and pipeline to Place of Use.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$100,000
10. Estimated time required to construct works.....5 Years
11. Estimated time required to complete the application to beneficial use.....10 Years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Please send copies of all correspondence to the Ely Municipal Water Board.

P.O. Box 299, Ely, Nevada 89301

Applicant.....Ely Municipal Water Company

By.....s/William A. Nisbet Agent
421 Court Street
Elko, NV 89801

Compared.....ja/ha

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....	IN TESTIMONY WHEREOF, I.....
Completion of work filed.....	State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed.....	my office, this.....day of.....
Cultural map filed.....	
Certificate No.....	A.D. 19.....

Issued
NOV 16 1981

STATE ENGINEER

State Engineer

WITHDRAWN BY

218 (REV)